



2020

GLOBAL BADMINTON

WORTH ITS WEIGHT IN POWER.



RECON™ PX 9000 TETRAD

TWS: Weighting system applied to 10&2 and 8&4 on racquet hoop



RECON™ P3700 APEX

AWS: Weighting system applied to 10&2 on racquet hoop



All-new Tetrad and Apex Weighting Systems add weight to key areas of the frame to boost performance, increase confidence and improve results.

MORE POWER:

SWING EASIER WITHOUT SACRIFICING POWER FROM ANYWHERE ON THE COURT.

MORE STABILITY:


GAIN MORE CONTROL OF THE SHUTTLECOCK FLIGHT PATH WITH REDUCED FRAME TWISTING.

MORE DEPTH:

SET UP EFFECTIVE DROP SHOTS BY PUSHING YOUR OPPOSITION BACKWARD WITH ADDED DEPTH.

MORE FIRMNESS:

BOOST YOUR VELOCITY WITH EXTRA STRENGTH AND FIRMNESS THROUGHOUT THE RACQUET HOOP.



BADMINTON

SEGMENTATION	2
PERFORMANCE RACKETS	4
RECREATIONAL RACKETS	16
SPECIFICATIONS	18
SETS & KITS	20
FOOTWEAR	21
STRING	22
GRIP	23
SHUTTLECOCKS	24
EQUIPMENT BAGS	26
ACCESSORIES	28


PRODUCT HIERARCHY GUIDE

★	★★	★★★
GOOD	BETTER	BEST

LEADING INNOVATION. SLICK DESIGN. A RACKET FOR EVERY TYPE OF PLAYER.


Welcome to the 2020 Wilson Badminton Lineup: an assortment that caters to any style of play, level of skill, or preference of design. From unique frame geometries to cutting-edge material compositions, our technologies reflect the unyielding drive for innovation and reward performance on the court.

It doesn't matter if you are a beginner or an expert. If you prefer power or control. If you want a heavier or lighter frame. We bring the best out of your game with a lineup built upon decades of creative ideas, consumer research, rigorous testing and unrivaled passion.




POWER
THE RECON™ SERIES IS THE ULTIMATE SOURCE FOR AGGRESSIVE POWER.

The latest evolution of the Recon racquets features a new weighting system to boost power and make it easier than ever to put away smashes and execute deep clears for offensive-minded players. .



CONTROL
THE FIERCE™ SERIES IS THE ULTIMATE SOURCE FOR DYNAMIC CONTROL.

Carefully crafted for excellent consistency and pinpoint accuracy with stable-frame technology, Fierce racquets satisfy the strategic player's appetite for court control.



SPEED
THE BLAZE™ SERIES IS THE ULTIMATE SOURCE FOR LIGHTWEIGHT SPEED.

The incredibly lightweight and aerodynamic Blaze racquets are perfect for quick-reaction combo players seeking speed and responsiveness above all else from their racquets.



RECON PX 9000

RECON PX 7000



EXZONE



RECON™ PX9000 TWS NEW ***

WEIGHT: **3U** BALANCE: **HH** FLEX: **MEDIUM STIFF** LENGTH: **675 MM** GRIP SIZES: **1-4**

SRP: **XX** STOCK NUMBER **WR039310F** (STRUNG WITH FULL COVER)

RECON™ PX7000 TWS NEW ***

WEIGHT: **4U** BALANCE: **HH** FLEX: **MEDIUM STIFF** LENGTH: **675 MM** GRIP SIZES: **1-4**

SRP: **XX** STOCK NUMBER **WR039410F** (STRUNG WITH FULL COVER)

FEATURES

- EX ZONE TECHNOLOGY
- ULTRA HIGH TENSION
- COUNTERVAIL*
- STABLE WRAP™
- CONTROL RIB GEOMETRY
- ULTRA HIGH MODULUS CARBON FIBER
- FEATHER LIGHT GRIP

TETRAD WEIGHTING SYSTEM

Adds weight to four key areas of the frame to boost power and stability for more shot depth and reduced frame twisting.

EX ZONE

This new revolutionary technology relocates that kick point in the shaft to give the racket fantastic stability for the ultimate control.

COUNTERVAIL'

Countervail maximises energy and gives the player a more forgiving feel.

ULTRA HIGH TENSION

Ultra high tension construction strengthens the hoop and allows string tensions to 34 lbs. for greater power.

STABLE WRAP' DESIGN WITH BRAIDED GRAPHITE'

Stable wrap produces a stronger more stable T-joint, allowing for stronger and more accurate strokes with reduced frame twisting.

ULTRA HIGH MODULUS CARBON FIBER

Aerospace ultra light and super strong carbon graphite fiber creates frame strength and reliability for the demands of faster play.



RECON™ PX5000 TWS NEW ***

WEIGHT: **4U** BALANCE: **EVEN** FLEX: **MEDIUM** LENGTH: **675 MM** GRIP SIZES: **1-4**

SRP: **XX** STOCK NUMBER **WR039610F1** (STRUNG WITH FULL COVER)

FEATURES

- EX ZONE TECHNOLOGY
- ULTRA HIGH TENSION
- STABLE WRAP™
- CONTROL RIB GEOMETRY
- ULTRA HIGH MODULUS CARBON FIBER
- FEATHER LIGHT GRIP



RECON™ P3700 AWS NEW **

WEIGHT: **5U** BALANCE: **HH** FLEX: **FLEXIBLE** LENGTH: **675 MM** GRIP SIZES: **1-4**

SRP: **XX** STOCK NUMBER **WRO39710F** (STRUNG WITH FULL COVER)

FEATURES

- TURBO WING
- HIGH MODULUS CARBON FIBER
- GRAPHITE T-JOINT
- SUPER KICK™ SHAFT
- STABLE WRAP™
- THUMB PAD TOP CAP



RECON™ P2700 NEW **

WEIGHT: **5U** BALANCE: **HH** FLEX: **MEDIUM** LENGTH: **675 MM** GRIP SIZES: **1-4**

SRP: **XX** STOCK NUMBER **WRO39810F1** (STRUNG WITH FULL COVER)

FEATURES

- HIGH MODULUS CARBON FIBER
- LIQUID CRYSTAL FIBER
- GRAPHITE T-JOINT
- SUPER KICK™ SHAFT
- STABLE WRAP™



RECON™ P1700 NEW **

WEIGHT: **4U** BALANCE: **HH** FLEX: **FLEXIBLE** LENGTH: **675 MM** GRIP SIZES: **1-4**

SRP: **XX** STOCK NUMBER **WRO39910F1** (RED/BLACK: STRUNG WITH FULL COVER)
WRO41010F1 (BLACK/RED: STRUNG WITH FULL COVER)

FEATURES

- LIQUID CRYSTAL FIBER
- GRAPHITE T-JOINT
- SUPER KICK™ SHAFT
- STABLE WRAP™



APEX WEIGHTING SYSTEM
 Adds weight to two key areas at the top of the frame to boost power and stability for more shot depth and reduced frame twisting.



INTERNAL GRAPHITE T-JOINT
 Patented Internal T-Joint provides exceptional strength and greater stability by increasing resistance to frame twist.



STABLE WRAP™ DESIGN
 Stable Wrap produces a stronger more stable T-joint, allowing for stronger and more accurate strokes.



SUPER KICK™ SHAFT PATENTED TECHNOLOGY
 Super Kick Shaft is a proprietary shaft layout technology that provides an engineered kick zone. Super Kick generates extra whip and increased power.

**RECON[®] 370 NEW ****WEIGHT: **4U** BALANCE: **HH** FLEX: **FLEXIBLE** LENGTH: **675 MM** GRIP SIZES: **1-4**SRP: **XX**STOCK NUMBER **WRO41110H1** (STRUNG WITH HALF COVER)

FEATURES

- MICRONIZED CARBON FIBER
- QUAD HOOP SHAPE
- THUMB PAD TOP CAP

**RECON[®] 270 NEW ****WEIGHT: **3U** BALANCE: **HH** FLEX: **FLEXIBLE** LENGTH: **675 MM** GRIP SIZES: **1-4**SRP: **XX**STOCK NUMBER **WRO41210H1** (STRUNG WITH HALF COVER)

FEATURES

- MICRONIZED CARBON FIBER
- QUAD HOOP SHAPE
- THUMB PAD TOP CAP

**RECON[®] 170 NEW ****WEIGHT: **3U** BALANCE: **EVEN** FLEX: **FLEXIBLE** LENGTH: **675 MM** GRIP SIZES: **1-4**SRP: **XX**STOCK NUMBER **WRO41410H1** (RED/BLACK: STRUNG WITH HALF COVER)
WRO41310H1 (BLACK/RED: STRUNG WITH HALF COVER)

FEATURES

- MICRONIZED CARBON FIBER
- QUAD HOOP SHAPE



EXZONE



FIERCE™ CX 9000CV ***

WEIGHT: **5U**

BALANCE: **HH**

FLEX: **MEDIUM STIFF**

LENGTH: **675 MM**

SRP: **XX**

STOCK NUMBER **WR004010F2** (STRUNG WITH FULL COVER)

WR004011S2 (UNSTRUNG WITH RED TOUR SOFT COVER)

FEATURES

- COUNTERVAIL*
- ULTRA HIGH TENSION
- STABLE WRAP

- ULTRA HIGH MODULUS CARBON FIBER
- CONTROL RIB GEOMETRY
- FEATHER LIGHT GRIP

COUNTERVAIL™

Countervail maximises energy and gives the player a more forgiving feel.

EX ZONE

This new revolutionary technology relocates that kick point in the shaft to give the racket fantastic stability for the ultimate control.

ULTRA HIGH TENSION

Ultra high tension construction strengthens the hoop and allows string tensions to 34 lbs. for greater power.

STABLE WRAP™ DESIGN WITH BRAIDED GRAPHITE

Stable wrap produces a stronger more stable T-joint, allowing for stronger and more accurate strokes with reduced frame twisting.

ULTRA HIGH MODULUS CARBON FIBER

Aerospace ultra light and super strong carbon graphite fiber creates frame strength and reliability for the demands of faster play.



CX 7000 EX ZONE

CX 6000 EX ZONE

FIERCE™ CX 7000 EX ZONE ***

WEIGHT: **5U** BALANCE: **HH** FLEX: **MEDIUM STIFF** LENGTH: **675 MM**

SRP: **XX** STOCK NUMBER **WR004210F2** (STRUNG WITH FULL COVER)


FIERCE™ CX 6000 EX ZONE ***

WEIGHT: **4U** BALANCE: **EVEN** FLEX: **MEDIUM** LENGTH: **675 MM**

SRP: **XX** STOCK NUMBER **WR004110F2** (STRUNG WITH RED TOUR SOFT COVER)
WR004111S2 (UNSTRUNG WITH RED TOUR SOFT COVER)

FEATURES

- EX ZONE
- ULTRA HIGH TENSION
- STABLE WRAP™ WITH BRAID
- CONTROL RIB GEOMETRY
- ULTRA HIGH MODULUS CARBON FIBER
- FEATHER LIGHT GRIP




FIERCE™ C 3700 **

WEIGHT: 5U	BALANCE: HH	FLEX: FLEXIBLE	LENGTH: 675 MM
SRP: XX	STOCK NUMBER WRO04310F4 (STRUNG WITH FULL COVER)		

FEATURES

- TURBO DRIVE WINGS™
- HIGH MODULUS CARBON FIBER
- GRAPHITE T-JOINT
- SUPER KICK™ SHAFT
- STABLE WRAP™
- THUMB PAD TOP CAP




FIERCE™ C 2700 **

WEIGHT: 4U	BALANCE: EVEN	FLEX: FLEXIBLE	LENGTH: 675 MM
SRP: XX	STOCK NUMBER WRO04410F4 (STRUNG WITH FULL COVER)		

FEATURES

- HIGH MODULUS CARBON FIBER
- LIQUID CRYSTAL FIBER
- GRAPHITE T-JOINT
- SUPER KICK™ SHAFT
- STABLE WRAP™



FIERCE™ C 1700 **

WEIGHT: 4U	BALANCE: HH	FLEX: FLEXIBLE	LENGTH: 675 MM
SRP: XX	STOCK NUMBER WRO04510F4 (STRUNG WITH FULL COVER)		

FEATURES

- LIQUID CRYSTAL FIBER
- GRAPHITE T-JOINT
- SUPER KICK™ SHAFT
- STABLE WRAP™



TURBO DRIVE WINGS™
Radical new patent pending engineering design reduces the torque angle for 12.5% more torsional control. Provides better control and more accuracy.



INTERNAL GRAPHITE T-JOINT
Patented Internal T-Joint provides exceptional strength and greater stability by increasing resistance to frame twist.



STABLE WRAP™ DESIGN
Stable wrap produces a stronger more stable T-joint, allowing for stronger and more accurate strokes.



SUPER KICK™ SHAFT PATENTED TECHNOLOGY
Super Kick Shaft is a proprietary shaft layout technology that provides an engineered kick zone. Super Kick generates extra whip and increased power.




FIERCE™ 370 *

WEIGHT: **4U** BALANCE: **EVEN** FLEX: **FLEXIBLE** LENGTH: **675 MM**

SRP: **XX** STOCK NUMBER **WRO04610F4** (STRUNG WITH FULL COVER)

FEATURES

- MICRONIZED CARBON FIBER
- THUMB PAD TOP CAP
- QUAD HOOP SHAPE




FIERCE™ 270 *

WEIGHT: **3U** BALANCE: **HL** FLEX: **FLEXIBLE** LENGTH: **675 MM**

SRP: **XX** STOCK NUMBER **WRO04710U4** (STRUNG, NO COVER)

FEATURES

- MICRONIZED CARBON FIBER
- THUMB PAD TOP CAP
- QUAD HOOP SHAPE



FIERCE™ 170 *

WEIGHT: **3U** BALANCE: **HL** FLEX: **FLEXIBLE** LENGTH: **675 MM**

SRP: **XX** STOCK NUMBER **WRO04810U4** (STRUNG, NO COVER)


FEATURES

- MICRONIZED CARBON FIBER
- QUAD HOOP SHAPE



SX 9900 SPIDER

SX 9000 SPIDER



BLAZE™ SX 9900 SPIDER ***

WEIGHT: 7U	BALANCE: HH	FLEX: STIFF	LENGTH: 675 MM
SRP: XX	STOCK NUMBER WRT882400 (STRUNG WITH FULL COVER) WRT882418 (UNSTRUNG WITH RED TOUR SOFT COVER)		

BLAZE™ SX 9000 SPIDER ***

WEIGHT: 6U	BALANCE: HH	FLEX: STIFF	LENGTH: 675 MM
SRP: XX	STOCK NUMBER WRT882500 (STRUNG WITH FULL COVER) WRT882518 (UNSTRUNG WITH RED TOUR SOFT COVER)		

FEATURES

- SUPER LIGHT
- LIQUID CRYSTAL FIBER SHOCK TRAP™
- SPIDER SILK BALLISTIC FRAME ARMOUR™
- ULTRA HIGH MODULUS CARBON
- SOFT GROMMET TECHNOLOGY
- FEATHER LIGHT GRIP

SUPER LIGHT

Super light, extremely agile 7U and 6U frame with extra hitting mass.

LIQUID CRYSTAL FIBER SHOCK TRAP™

Liquid Crystal Fiber is strategically placed in the shaft to capture and remove unwanted shuttle impact shock, resulting in a softer, less fatiguing feel.

ULTRA HIGH MODULUS CARBON FIBER

Aerospace ultra light and super strong carbon graphite fiber creates frame strength and reliability for the demands of faster play.

SOFT GROMMET TECHNOLOGY

Soft grommets help to lessen player fatigue by damping vibration from shuttle impacts.

SPIDER SILK BALLISTIC FRAME ARMOR™

Spider Silk is a spun ballistic fiber with unique properties. Light as spider silk, strong as steel, tough as military body armor with built-in shock suppression. Spider Silk Ballistic Frame Armor provides strength and actively cancels frame shock for a sweet clean feel.



BLAZE™ SX 7000 SPIDER ***

WEIGHT: 4U	BALANCE: HL	FLEX: MEDIUM STIFF	LENGTH: 675 MM
SRP: XX	STOCK NUMBER WRT883000 (STRUNG WITH FULL COVER) WRT883018 (UNSTRUNG WITH RED TOUR SOFT COVER)		

FEATURES

- LIQUID CRYSTAL FIBER SHOCK TRAP™
- SPIDER SILK BALLISTIC FRAME ARMOUR™
- ULTRA HIGH MODULUS CARBON
- SOFT GROMMET TECHNOLOGY
- FEATHER LIGHT GRIP
- SPEED TOP CAP



BLAZE™ S 3700 **

WEIGHT: **6U** BALANCE: **SUPER HH** FLEX: **FLEXIBLE** LENGTH: **675 MM**

SRP: **XX** STOCK NUMBER **WRT889000** (STRUNG WITH FULL COVER)

FEATURES

- HIGH MODULUS CARBON FIBER
- LIQUID CRYSTAL FIBER
- GRAPHITE T-JOINT
- SUPER KICK™ SHAFT
- STABLE WRAP™



BLAZE™ S 2700 **

WEIGHT: **5U** BALANCE: **HH** FLEX: **FLEXIBLE** LENGTH: **675 MM**

SRP: **XX** STOCK NUMBER **WRT889800** (STRUNG WITH FULL COVER)

FEATURES

- HIGH MODULUS CARBON FIBER
- LIQUID CRYSTAL FIBER
- GRAPHITE T-JOINT
- SUPER KICK™ SHAFT
- STABLE WRAP™



BLAZE™ S 1700 **

WEIGHT: **4U** BALANCE: **HL** FLEX: **FLEXIBLE** LENGTH: **675 MM**

SRP: **XX** STOCK NUMBER **WRT890500** (STRUNG WITH FULL COVER)

FEATURES

- LIQUID CRYSTAL FIBER
- GRAPHITE T-JOINT
- SUPER KICK™ SHAFT
- STABLE WRAP™



INTERNAL GRAPHITE T-JOINT
Patented Internal T-Joint provides exceptional strength and greater stability by increasing resistance to frame twist.



STABLE WRAP™ DESIGN
Stable wrap produces a stronger more stable T-joint, allowing for stronger and more accurate strokes.



SUPER KICK™ SHAFT PATENTED TECHNOLOGY
Super Kick Shaft is a proprietary shaft layout technology that provides an engineered kick zone. Super Kick generates extra whip and increased power.



BLAZE™ 370 *

WEIGHT: 4U	BALANCE: HL	FLEX: FLEXIBLE	LENGTH: 675 MM
SRP: XX	STOCK NUMBER WRT89130U (STRUNG, NO COVER)		

FEATURES

- MICRONIZED CARBON FIBER
- QUAD HOOP SHAPE
- THUMB PAD TOP CAP



BLAZE™ 270 *

WEIGHT: 4U	BALANCE: HL	FLEX: FLEXIBLE	LENGTH: 675 MM
SRP: XX	STOCK NUMBER WRT89160U (STRUNG, NO COVER)		

FEATURES

- MICRONIZED CARBON FIBER
- QUAD HOOP SHAPE
- THUMB PAD TOP CAP




BLAZE™ 170 *

WEIGHT: 4U	BALANCE: HL	FLEX: FLEXIBLE	LENGTH: 675 MM
SRP: XX	STOCK NUMBER WRT89170U (STRUNG, NO COVER)		

FEATURES

- MICRONIZED CARBON FIBER
- QUAD HOOP SHAPE
- THUMB PAD TOP CAP




ATTACKER™ *

WEIGHT: 2U	BALANCE: HH	FLEX: MEDIUM FLEXIBLE	LENGTH: 662 MM	GRIP SIZES: 2-4
SRP: XX	STOCK NUMBER WRO41610 (STRUNG WITH BLACK ½ ZIPPER COVER)			

FEATURES

- ONE PIECE FUSED FRAME
- ALUMINUM HOOP
- GRAPHITE SHAFT
- STRUNG WITH HALF COVER




STRIKE™ *

WEIGHT: 2U	BALANCE: HL	FLEX: STIFF	LENGTH: 665 MM	GRIP SIZES: 2-4
SRP: XX	STOCK NUMBER WRO41910 (STRUNG WITH BLACK ½ ZIPPER COVER)			

FEATURES

- ONE PIECE FUSED FRAME
- ALUMINUM HOOP
- STEEL SHAFT
- STRUNG WITH HALF COVER




IMPACT™ *

WEIGHT: 2U	BALANCE: HL	FLEX: STIFF	LENGTH: 665 MM	GRIP SIZES: 2-4
SRP: XX	STOCK NUMBER WRO42210 (STRUNG WITH BLACK ½ ZIPPER COVER)			

FEATURES

- ONE PIECE FUSED FRAME
- ALUMINUM HOOP
- STEEL SHAFT
- STRUNG WITH HALF COVER




CHAMP™ 90 *

WEIGHT: 2U	BALANCE: HH	LENGTH: 660 MM	GRIP SIZES: 2-4
SRP: XX	STOCK NUMBER WRO41810 (STRUNG WITH BLACK ½ ZIPPER COVER)		

FEATURES

- HYPER ALLOY FRAME
- ALUMINUM DIE CAST T-JOINT
- POWER BALANCE
- STRUNG WITH HALF COVER



REACTION™ 70 *

WEIGHT: 2U	BALANCE: HH	LENGTH: 660 MM	GRIP SIZES: 2-4
SRP: XX	STOCK NUMBER WRO42010 (STRUNG WITH BLACK ½ ZIPPER COVER)		

FEATURES

- HYPER ALLOY FRAME
- ALUMINUM DIE CAST T-JOINT
- POWER BALANCE
- STRUNG WITH HALF COVER



ZONE™ 60 *

WEIGHT: 2U	BALANCE: HH	LENGTH: 660 MM	GRIP SIZES: 2-4
SRP: XX	STOCK NUMBER WRO41710 (STRUNG WITH BLACK ½ ZIPPER COVER)		

FEATURES

- HYPER ALLOY FRAME
- ALUMINUM DIE CAST T-JOINT
- POWER BALANCE
- STRUNG WITH HALF COVER



TOUR™ 30 *

WEIGHT HT: 2U	BALANCE: HH	LENGTH: 585 MM	GRIP SIZES: 2-4
SRP: XX	STOCK NUMBER WRO42110 (STRUNG WITH BLACK ½ ZIPPER COVER)		

FEATURES

- HYPER ALLOY FRAME
- ALUMINUM DIE CAST T-JOINT
- JUNIOR LENGTH
- STRUNG WITH HALF COVER

BADMINTON | SPECIFICATIONS

NEW

RECON POWER SEGMENT

	PX9000 TWS	PX7000 TWS	PX5000 TWS	P3700 AWS	P2700	P1700	P1700	370	270
RACKET SPECS									
MSR	XX	XX	XX	XX	XX	XX	XX	XX	XX
BASE MATERIAL NUMBER	WRO39310F	WRO39410F	WRO39610F1	WRO39710F1	WRO39810F1	WRO39910F1	WRO41010F1	WRO41110H1	WRO41210H1
COLOR	Black/Red	Red/Black	Black/Gold	Black/Red	Black/Gold	Red/Black	Black/Red	Black/Red/Gold	Black/Gold
WEIGHT	3U	4U	4U	5U	5U	4U	4U	4U	3U
BALANCE	HH	HH	Even	HH	HH	HH	HH	HH	HH
FLEX	Medium Stiff	Medium Stiff	Medium	Flexible	Medium	Flexible	Flexible	Flexible	Flexible
KICK	Lower Shaft	Lower Shaft	Lower Shaft	Lower Shaft	Lower Shaft	Regular	Regular	Regular	Regular
HOOP CONSTRUCTION	Ultra H.M. Graphite	Ultra H.M. Graphite	Ultra H.M. Graphite	Ultra H.M. Graphite	H.M. Graphite	H.M. Graphite	H.M. Graphite	Graphite	Graphite
SHAFT CONSTRUCTION	H.M. Graphite	H.M. Graphite	H.M. Graphite	H.M. Graphite	H.M. Graphite	H.M. Graphite	H.M. Graphite	Graphite	Graphite
GEOMETRY	Power TWS Ribs	Power TWS Ribs	Power TWS Ribs	Power AWS Ribs	Power Quad	Power Quad	Power Quad	Power Quad	Power Quad
RECOMMENDED STRING TENSION	20-25 lbs.	20-25 lbs.	20-25 lbs.	20-25 lbs.	20-25 lbs.	20-25 lbs.	20-25 lbs.	18-23 lbs.	18-23 lbs.
MAXIMUM STRING TENSION	27 lbs.	27 lbs.	27 lbs.	27 lbs.	27 lbs.	26 lbs.	26 lbs.	26 lbs.	26 lbs.
GRIP SIZES	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4	1-4
LENGTH	675	675	675	675	675	675	675	675	675
HEAD (IN ²)	54.7	54.7	54.7	54.7	56.1	54.7	54.7	54.7	54.7
UNSTRUNG WEIGHT	87.0	82.0	82.0	75.0	78.0	82.0	82.0	82.0	86.0
UNSTRUNG BALANCE	30.7	30.2	29.5	30.7	32.0	31.5	31.5	30.0	30.0

FIERCE CONTROL SEGMENT

	CX9000 CV	CX7000 EXZONE	CX6000 EXZONE	C3700	C2700	C1700	370	270	170
RACKET SPECS									
MSR	XX	XX	XX	XX	XX	XX	XX	XX	XX
BASE MATERIAL NUMBER	WRO04010F2	WRO04210F2	WRO04110F2	WRO04310F4	WRO04410F4	WRO04510F4	WRO04610F4	WRO04710U4	WRO04810U4
COLOR	White/White	Black/Pink	White/Blue	Black/Pink	Black/Blue	White/Blue	Black/Pink	Black/Blue	White/Blue
WEIGHT	5U	5U	4U	5U	4U	4U	4U	3U	3U
BALANCE	HH	HH	Even	HH	Even	HH	Even	HL	HL
FLEX	Medium Stiff	Medium Stiff	Medium	Flexible	Flexible	Flexible	Flexible	Flexible	Flexible
KICK	Regular	Regular	Regular	Lower Shaft	Lower Shaft	Lower Shaft	Regular	Regular	Regular
HOOP CONSTRUCTION	Super H.M. Graphite X-Resin	Super H.M. Graphite X-Resin	Super H.M. Graphite X-Resin	H.M. Graphite	H.M. Graphite	H.M. Graphite	Graphite	Graphite	Graphite
SHAFT CONSTRUCTION	H.M. Graphite Liquid Crystal Fiber	H.M. Graphite	H.M. Graphite	H.M. Graphite	H.M. Graphite	Graphite	Graphite	Graphite	Graphite
GEOMETRY	Slip Stream	Slip Stream	Slip Stream	Power Quad	Power Quad	Power Quad	Power Quad	Power Quad	Power Quad
RECOMMENDED STRING TENSION	20-25 lbs.	20-25 lbs.	20-25 lbs.	20-25 lbs.	20-25 lbs.	20-25 lbs.	18-23 lbs.	18-23 lbs.	18-23 lbs.
MAXIMUM STRING TENSION	27 lbs.	27 lbs.	27 lbs.	27 lbs.	27 lbs.	27 lbs.	26 lbs.	26 lbs.	26 lbs.
LENGTH	675	675	675	675	675	675	675	675	675

BLAZE SPEED SEGMENT

	SX9900	SX9000	SX8800	SX8000	SX7700	SX7000	3700	2700	1700
RACKET SPECS									
SRP	XX	XX	XX	XX	XX	XX	XX	XX	XX
BASE MATERIAL NUMBER	WRT8824	WRT8825	WRT8826	WRT8827	WRT8829	WRT	WRT8890	WRT8898	WRT8905
COLOR	Black/Blue	Black/Yellow	Black/Black	Black/White	Black/Red	Black/Pink	Black/Blue	Black/Red	Black/Grey
WEIGHT	7U	6U	3U	3U	4U	4U	6U	5U	4U
BALANCE	HH	HH	Even	HL	HL	HL	Super HH	HH	HL
FLEX	Stiff	Medium Stiff	Stiff	Stiff	Medium Stiff	Medium Stiff	Flexible	Flexible	Flexible
KICK	Regular	Regular	Regular	Regular	Regular	Regular	Upper Shaft	Upper Shaft	Upper Shaft
HOOP CONSTRUCTION	Super H.M. Graphite High-P Carbon T46 Graphite X-Resin	Super H.M. Graphite High-P Carbon T46 Graphite X-Resin	CV, Super H.M. Graphite, High-P Carbon, T46 Graphite, X-Resin	Super H.M. Graphite High-P Carbon T46 Graphite X-Resin	CV, Super H.M. Graphite, High-P Carbon, T46 Graphite, X-Resin	Super H.M. Graphite High-P Carbon T46 Graphite X-Resin	H.M. Graphite High-P Carbon	H.M. Graphite High-P Carbon	H.M. Graphite High-P Carbon
SHAFT CONSTRUCTION	H.M. Graphite Liquid Crystal Fiber X-Resin	H.M. Graphite Liquid Crystal Fiber X-Resin	H.M. Graphite Liquid Crystal Fiber X-Resin	H.M. Graphite Liquid Crystal Fiber X-Resin	H.M. Graphite Liquid Crystal Fiber X-Resin	H.M. Graphite Liquid Crystal Fiber X-Resin	H.M. Graphite High-P Carbon	H.M. Graphite High-P Carbon	H.M. Graphite High-P Carbon
GEOMETRY	Slip Stream™	Slip Stream™	Slip Stream™	Slip Stream™	Slip Stream™	Slip Stream™	Slip Stream™	Slip Stream™	Slip Stream™
RECOMMENDED STRING TENSION	20-25 lbs.	20-25 lbs.	20-25 lbs.	20-25 lbs.	20-25 lbs.	20-25 lbs.	20-25 lbs.	18-23 lbs.	18-23 lbs.
MAXIMUM STRING TENSION	27 lbs.	27 lbs.	27 lbs.	27 lbs.	27 lbs.	27 lbs.	27 lbs.	26 lbs.	26 lbs.
LENGTH	675	675	675	675	675	675	675	675	675

	170	170
	XX	XX
	WRO41310H1	WRO41410H1
	Black/Red	Red/Black
	3U	3U
	Even	Even
	Flexible	Flexible
	Regular	Regular
	Graphite	Graphite
	Graphite	Graphite
	Power Quad	Power Quad
	18-23 lbs.	18-23 lbs.
	26 lbs.	26 lbs.
	1-4	1-4
	675	675
	53.8	53.8
	87.0	87.0
	29.5	29.5

RECREATIONAL RACKETS	ATTACKER	STRIKE	IMPACT	CHAMP 90	REACTION 70	ZONE 60	TOUR 30
RACKET SPECS							
MSR	XX	XX	XX	XX	XX	XX	XX
BASE MATERIAL NUMBER	WRO41610	WRO41910	WRO42210	WRO41810	WRO42010	WRO41710	WRO42110
COLOR	Red/Red	Grey	Turquoise/Blue	Green/Blue	Black/Blue	Purple/Green	Blue/Grey
WEIGHT	2U	2U	2U	2U	2U	2U	2U
BALANCE	HL	HL	HL	HH	HH	HH	HH
FLEX	Flexible	Stiff	Stiff	-	-	-	-
SUPER KICK	Regular	Regular	Regular	-	-	-	-
HOOP CONSTRUCTION	T6 Tempered Aluminum Fusion	Tempered Aluminum Fusion	Aluminum Fusion	Steel	Steel	Steel	Steel
SHAFT CONSTRUCTION	Graphite	Steel	Steel	Steel	Steel	Steel	Steel
RECOMMENDED STRING TENSION	16-18 lbs.	16-18 lbs.	16-18 lbs.	14-16 lbs.	14-16 lbs.	14-16 lbs.	14-16 lbs.
MAXIMUM STRING TENSION	24 lbs.	20 lbs.	20 lbs.	16 lbs.	16 lbs.	16 lbs.	16 lbs.
GRIP SIZES	2-4	2-4	2-4	2-4	2-4	2-4	2-4
LENGTH	662	665	665	660	660	660	585

	370	270	170
	XX	XX	XX
	WRT8913	WRT8916	WRT8917
	Black/Blue	Black/Red	Black/Grey
	4U	4U	4U
	HL	HL	HL
	Flexible	Flexible	Flexible
	Regular	Regular	Regular
	High-P Carbon	High-P Carbon	High-P Carbon
	High-P Carbon	High-P Carbon	High-P Carbon
	Power Quad	Power Quad	Power Quad
	18-23 lbs.	18-23 lbs.	18-23 lbs.
	26 lbs.	26 lbs.	26 lbs.
	675	675	675

WEIGHT

	GRAM RANGE
2U	90 g – 94.9 g
3U	85 g – 89.9 g
4U	80 g – 84.9 g
5U	75 g – 79.9 g
6U	70 g – 75.9 g
7U	65 g – 69.9 g

GRIP

SIZE	GRIP SIZE	INCHES*	CM*
1	G6	3 1/8	7.9
2	G5	3 1/4	8.3
3	G4	3 3/8	8.6
4	G3	3 1/2	8.9
5	G2	3 5/8	9.2
6	G1	3 3/4	9.5

* Handle Circumference

SHUTTLE SPEEDS

	TEMPERATURE RANGE C°	TEMPERATURE RANGE F°	OPTIMUM TEMPERATURE
75	Above 35° C	Above 94° F	38° C / 100° F
76	28° C - 35° C	83° F - 94° F	31° C / 88° F
77	22° C - 28° C	73° F - 83° F	25° C / 77° F
78	18° C - 22° C	64° F - 73° F	20° C / 68° F
79	Below 18° C	Below 64° F	15° C / 59° F



BADMINTON TOUR™ SET *

SRP: XX STOCK NUMBER WRT844400

FEATURES

- 4 HYPER 6000 SERIES ALLOY RACKETS
- 2 SEGMENTED STEEL POLES
- CARRY BAG
- 3 NYLON SHUTTLECOCKS
- BADMINTON NET & HOOKS



BADMINTON SET *

SRP: XX STOCK NUMBER WRT875400

FEATURES

- 4 HYPER 6000 SERIES ALLOY RACKETS
- 2 TELESCOPING PLASTIC POLES
- CARRY BAG
- 3 NYLON SHUTTLECOCKS
- BADMINTON NET & HOOKS



BADMINTON GEAR KIT *

SRP: XX STOCK NUMBER WRT875500

FEATURES

- 2 HYPER 6000 SERIES ALLOY RACKETS
- CARRY BAG
- 2 NYLON SHUTTLECOCKS



BADMINTON JUNIOR KIT *

SRP: XX STOCK NUMBER WRT875600

FEATURES

- 2 AIRLITE JUNIOR LENGTH ALLOY RACKETS
- 1 TRAINING "BALL" SHUTTLECOCK
- CARRY BAG
- 1 NYLON SHUTTLECOCK



VERTEXAMPLIFEEL™ UNISEX NEW **

SRP: XX

Amplifeel™ • Endofit® Comfort+ • DF2 • R-DST™+ • Duralast™ • Stable Chassis • Unisex size

STYLE NUMBER	COLOR	WEIGHT	AVAILABLE US SIZES
WRS325880	Black / White / Gum Light	360 g / 12.7 oz	4 – 11



VERTEX INDOOR UNISEX *

SRP: XX

Midfoot Support • Endofit® • DF1 • R-DST™+ • Duralast™ • Stable Chassis • Unisex size

STYLE NUMBER	COLOR	WEIGHT	AVAILABLE US SIZES
WRS324660	Hawaiian Surf / Navy Blazer / Acid Lime	336 g / 11.8 oz	4 – 12, 13

INNOVATIONS



AMPLIFEEL™

Adds increased upper support for feel, control and explosive lateral acceleration.



MIDFOOT SUPPORT

Natural motion upper construction provides ultimate stability and precision for quick moves in all directions; TPU arch bridge stable chassis and enhanced torsional and lateral stability.



ENDOFIT COMFORT+

Full inner bootie construction provides the ultimate in comfort, stability, and feel with an overall intuitive fit experience.



ENDOFIT

Inner sleeve construction provides enhanced comfort, stability, and an intuitive fit experience.



DYNAMIC FIT

DF1 – Heel-to-toe drop 6mm. Low-to-the-ground court feel, dynamic comfort, agility.
DF2 – Heel-to-toe drop 9mm. Cushioned court feel and quick reaction.



MIDSOLE

R-DST+™ – Best combination of cushioning and rebound for more dynamic performance.



DURALAST™

Exclusive high-density, consummately durable rubber compound provides super abrasion resistance and maximum traction on all surfaces.

FOOTWEAR CONVERSION CHART

UNISEX SIZING																				
US (MEN'S)	4	4.5	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5	12	12.5	13	14
US (WOMEN'S)	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5	12	12.5	13	13.5	14	14.5	15.5
UK	3.5	4	4.5	5	5.5	6	6.5	7	7.5	8	8.5	9	9.5	10	10.5	11	11.5	12	12.5	13.5
EUR	36 ¹ / ₃	37	37 ² / ₃	38 ¹ / ₃	39	36 ² / ₃	40 ¹ / ₃	41	41 ¹ / ₃	42	42 ² / ₃	43 ¹ / ₃	44	44 ² / ₃	45 ¹ / ₃	46	46 ² / ₃	47 ¹ / ₃	48	49 ¹ / ₃
CM	22	22.5	23	23.5	24	24.5	25	25.5	26	26.5	27	27.5	28	28.5	29	29.5	30	30.5	31	32



POWER

SMASH

- Comfort + Power
- Fluorocarbon filaments provide maximum energy return and power

33'/10M SETS STOCK NUMBER	COLOR	GA	MM
WRR9429WH	White	22	.68
WRR9429OR	Orange	22	.68
WRR9429RD	Red	22	.68
WRR9429GO	Gold	22	.68

660'/200M REELS STOCK NUMBER	COLOR	GA	MM
WRR9430WH	White	22	.68
WRR9430OR	Orange	22	.68
WRR9430RD	Red	22	.68
WRR9430GO	Gold	22	.68



CONTROL

REACTION 70™

- Feel + Control
- Tri-twist polyamide outer wraps plus pressure injected resin amplifies feel and control

33'/10M SET STOCK NUMBER	COLOR	GA	MM
WRR942700	White	21	.75

FIERCE CX™

- Control + Durability
- Textured braided structure for increased durability and control
- Outer treatment reduces friction and increases tension maintenance

33'/10M SETS STOCK NUMBER	COLOR	GA	MM
WRR943300	White	22	.70
WRR943400	Lime	22	.70
WRR943500	Black	22	.70



DURABILITY

DURA TOP

- Power + Durability
- Highly elastic Polyamide core provides power and durability

33'/10M SET STOCK NUMBER	COLOR	GA	MM
WRR942800	White	21	.75



FEEL

FEATHER THIN REPLACEMENT GRIP

Ultra-light, Ultra-thin replacement grip reduces racket weight and maximizes feel

STOCK NUMBER	PACK	COLOR	SRP
WRR934400	1	Black	XX



COMFORT

PRO OVERGRIP

Designed for high performance badminton players seeking perfect feel

STOCK NUMBER	PACK	COLOR	SRP
WRZ4014WH	3	White	XX
WRZ4014YE	3	Yellow	XX
WRZ401500	3	Assorted	XX
WRZ4016WH	12	White	XX
WRR9365YE	12	Yellow	XX
WRR936800	12	Assorted	XX
WRZ4019AST	50	Assorted	XX



ABSORBENT

TOWELLING GRIP

Made from quick drying material to absorb sweat and keep hands dry

STOCK NUMBER	PACK	COLOR	SRP
WRR936100	1	White	XX

FEATHER



TOUR™ 100 SHUTTLES

- Ideal for tournaments and competitive play
- Premium grade goose feathers with premium cork base
- Individually hand-tuned and flight-tested for superior flight characteristics and accurate trajectory
- Available in 12-pack tube, 76-79 speeds

STOCK NUMBER	SPEED
WRT60220076	76 (Slow)
WRT60220077	77 (Medium)
WRT60220078	78 (Fast)
WRT60220079	79 (Very Fast)



PRO™ 80 SHUTTLES

- Ideal for tournaments and competitive play
- Top grade duck feathers with premium cork base
- Individually hand-tuned and flight-tested for superior flight characteristics and accurate trajectory
- Available in 12-pack tube, 76-79 speeds

STOCK NUMBER	SPEED
WRT60230076	76 (Slow)
WRT60230077	77 (Medium)
WRT60230078	78 (Fast)
WRT60230079	79 (Very Fast)



TEAM™ 60 SHUTTLES

- Ideal for practice and training
- Top quality duck feathers with natural cork base
- Individually hand-tuned and flight-tested for consistent flight characteristics
- Available in 12-pack tube, 76-79 speeds

STOCK NUMBER	SPEED
WRT60240076	76 (Slow)
WRT60240077	77 (Medium)
WRT60240078	78 (Fast)
WRT60240079	79 (Very Fast)



CLUB™ 20 SHUTTLES

- Ideal for practice and training
- Natural duck feathers with natural cork base
- Hand-tuned and flight-tested for reliable flight characteristics
- Available in 12-pack tube, 76-79 speeds

STOCK NUMBER	SPEED
WRT60250076	76 (Slow)
WRT60250077	77 (Medium)
WRT60250078	78 (Fast)

NYLON



SMASHSTAR™

- Ideal for recreational indoor and outdoor play
- Hi visibility optic yellow and traditional bright white shuttlecocks
- Premium nylon skirt with natural cork base
- Designed for excellent speed, durability and power
- Available in 6-pack tube, 77-79 speeds

STOCK NUMBER	COLOR
WRT6050WH	White
WRT6050YE	Yellow



CHAMPIONSHIP™

- Ideal for recreational indoor and outdoor play
- Hi visibility optic yellow and traditional bright white shuttlecocks
- Premium nylon skirt and natural cork base
- Designed for speed, durability and power
- Available in 6-pack and 3-pack tube, 77-79 speeds

STOCK NUMBER (6 TUBE)	COLOR
WRT6042WH	White
WRT6044YE	Yellow

STOCK NUMBER (3 TUBE)	COLOR
WRT6040WH	White
WRT6040YE	Yellow



DROPSHOT™

- Ideal for beginners and recreational play
- Hi visibility optic yellow and traditional bright white shuttlecocks
- Nylon skirt and natural cork-composite base
- Designed for good durability
- Available in 6-pack tube and 3-pack clamshell

STOCK NUMBER	COLOR (TUBE)
WRT6046WH	White
WRT6046YE	Yellow

STOCK NUMBER	COLOR (CLAM PACK)
WRT6048WH	White
WRT6048YE	Yellow

VALUE FEATHER



T3 FEATHER SHUTTLECOCK TUBE

- Ideal for indoor and outdoor play
- Straightened goose feathers with natural cork base
- Engineered for consistent flight characteristics
- Available in 3-pack tube, 77 speed

STOCK NUMBER	SPEED
WRT60370077	77

PLASTIC



PLASTIC SHUTTLECOCKS

- Ideal for beginners and recreational play
- Full nylon skirt with soft base
- Available in 6-pack clamshell

STOCK NUMBER	COLOR
WRT603900	3 Blue, 3 Red




SUPER TOUR COLLECTION RED

STOCK NUMBER	DESCRIPTION	DIMENSIONS	FEATURES	RACKETS	RETAIL
WRZ840803	2 Compartment Small Red	30 x 9.5 x 13" / 76 x 24 x 33 cm	     	x6	\$XXX
WRZ840896	Backpack Red	13 x 10 x 19" / 33 x 25 x 48 cm	     	x2	\$XXX

Rackets not included



SUPER TOUR COLLECTION BLACK/GREY

STOCK NUMBER	DESCRIPTION	DIMENSIONS	FEATURES	RACKETS	RETAIL
WRZ843906	2 Compartment Small Black / Grey	30 x 9.5 x 13" / 76 x 24 x 33 cm	     	x6	\$XXX
WRZ843996	Backpack Black / Grey	13 x 10 x 19" / 33 x 25 x 48 cm	     	x2	\$XXX

Rackets not included

 Thermoguard® protects equipment against extreme temperatures

 Thermoguard® accessory pocket to hold and insulate consumables

 Full racket compartment encloses tennis rackets fully

 Racket compartment encloses tennis rackets partially

 Large accessory pockets for gear and equipment



TOUR COLLECTION BLACK **

STOCK NUMBER	DESCRIPTION	DIMENSIONS	FEATURES	RACKETS	RETAIL
WRZ849306	2 Compartment Small Black	30 x 10 x 13.5" / 76 x 25 x 34 cm		x6	\$XXX
WRZ843995	Backpack Black	13.5 x 11 x 18.5" / 34 x 28 x 47 cm		x2	\$XXX

Rackets not included



TOUR DUFFEL COLLECTION NEW

STOCK NUMBER	DESCRIPTION	DIMENSIONS	FEATURES	RACKETS	RETAIL
WR8002702001	Duffel Large Infrared	30 x 12 x 12" / 76 x 30 x 30 cm		x3-4	\$XXX
WR8002701001	Duffel Large Black	30 x 12 x 12" / 76 x 30 x 30 cm		x3-4	\$XXX

Rackets not included



Small accessory pocket for smaller personal effects



Fleece-lined valuables pocket protects smaller valuables and delicats



interior pocket to holds laptop or tablet



Removable interior divider keeps bag contents organized



Shoe compartment / bag holds footwear

EXTRA WIDE W® WRISTBAND *

RETAIL: XX

Cotton: 78% / Nylon: 12% / Spandex: 10% • Extra wide French Terry knit wristband with W embroidery • Absorbs perspiration for increased comfort and performance

STOCK NUMBER	COLOR	AVAILABLE SIZES
WRA733516	White / White / Trade Winds	One Size
WRA733517	Coastal / Peacoat / Tangerine	One Size
WRA733518	Peacoat / Coastal / White	One Size
WRA733519	Black / White / White	One Size
WRA733520	Infrared / Alloy / Black	One Size
WRA733521	White / White / Wilson Red	One Size



WILSON® HEADBAND *

RETAIL: XX

Cotton: 78% / Nylon: 12% / Spandex: 10% • French Terry knit headband with Wilson script embroidery • Absorbs perspiration for increased comfort and performance

STOCK NUMBER	COLOR	AVAILABLE SIZES
WR5600110	White	One Size
WR5600170	Black	One Size
WR5600190	Wilson Red	One Size



Wilson®

WILSON SPORTING GOODS CO.
1 Prudential Plaza
130 East Randolph Street, Suite 600
Chicago IL 60601
wilson.com

© 2019 Wilson Sporting Goods Co.
All Rights Reserved Printed in USA
18-2478 8/19

W, Wilson, Endofit, Thermoguard and Braided Graphite are registered trademarks of Wilson Sporting Goods Co. Blaze, Recon, Fierce, Fiber Shock Trap, Ballistic Frame Armor, Power Rod, Power Skin, Stable Wrap, Super Kick, Turbo Drive Wings, Attacker, Rage, Strike, Impact, Champ, Reaction, Zone, Tour, Amplifeel, Kaos, R-DST, Duralast, 2D-FS, Reaction 70, Fierce, Fierce CX, Slip Stream, Slip Stream, Pro, Team, Club, Smashstar, Championship, and Dropshot are trademarks of Wilson Sporting Goods Co. Countervail is a registered trademark of Material Sciences Corporation.

Trademarks advertised other than those of Wilson Sporting Goods Co. are properties of their respective companies.

NOTE: The display of logos in this catalog does not constitute an endorsement or sponsorship of Wilson merchants by the respective organization.